


LOOX 12V LED 2062 FLEXIBLE STRIP LIGHT, MONOCHROME, 8 MM

This 5 m LED 2062 strip light has 300 high quality Samsung LEDs per strip and is ideal for ambient lighting. Self adhesive fixing makes these lights easy to retrofit. Corner connectors are available for 90° installation. Can be shortened every 50 mm.



Aluminium profiles are available to order separately, shown from page **5.184**

Loox 12V LED 2062 flexible strip light, 8 mm width



— Cut LED strip light to length (one contact side remains on the remainder piece; reusable)

— Connect LED strip lights (two contact sides required)

C = section length = 50 mm

P = length of contact surface = 4.0 mm

- > Equipped with high quality Samsung LEDs
- > For surface mounting, self adhesive, 5 m length
- > Can be shortened every 50 mm
- > Voltage: 12V. Wattage: 24W (4.8W per metre)
- > Dimmable
- > Degree of protection: IP20
- > Lifetime: >50,000 h
- > Width: 8 mm
- > Height: 1.3 mm
- > With 2.0 m lead with Loox 12V connector
- > White plastic
- > Order qty: 1 pc (roll of 5 m length)

Output:	2700 K	3000 K	4000 K	5000 K
Light colour:	Warm white		Cool white	
Wattage (W):	4.8W per metre			
Energy efficiency:	A+	A+	A+	A+
Number of diodes:	60 per metre			
Light output (Lm/m):	440	465	490	495
Efficacy (Lm/W):	92	97	102	103
CRI Ra / R9:	>90 / >50			

Distance	120°			
	2700 K	3000 K	4000 K	5000 K
250 mm	1050 Lx	1090 Lx	1120 Lx	1130 Lx
500 mm	435 Lx	455 Lx	460 Lx	470 Lx
750 mm	240 Lx	245 Lx	260 Lx	260 Lx
1000 mm	145 Lx	150 Lx	155 Lx	160 Lx



- > Maximum strip length is dependant on driver wattage capacity, shown on page **5.74**
- > Maximum recommended strip light length for optimum visual light output: 6.0 m

12V

0-100%

IP20

III

F

7
YEARS

Fixings
included

Length	2700 K	3000 K	4000 K	5000 K
5 m	833.70.244	833.70.245	833.70.246	833.70.247

YOU ALSO NEED:

DRIVER
Page 5.74

SWITCH
Pages 5.79-86

ADDITIONAL LEADS
Page 5.88

OPTIONAL ACCESSORIES
Pages 5.75, 5.78